FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5A

PRINTER RANK SETTING				1
EVENT	PRIORITY RANK			
TYPE OF APPLICATION	⇒	1	COLOR/MONO	
RESOLUTION	⇒	2	NO. OF COPIES	
	⇒	3	PAPER SIZE	
	⇒	4	ACTION FOR BUSY/ERROR	
	\Rightarrow	5		
	\Rightarrow	6		
·			OK CANCEL	

FIG. 5B

PRINTER CONDITION SETTING
PRINTER A PRINTER A PRINTER A I © COLOR OMONO I NO. OF COPIES 1-100 PRINTER C PRINTER D PRINTER E PRINTER F PRINTER G I APPLICATION doc,xls,.pm85 • I RESOLUTION 600dpi TO THE TO
OK CANCEL

FIG. 6A

PRINT					
PRINTER					
PRINTER NAME (N)		▼ PROPERTY (P)			
STATUS:	IDLING				
TYPE:	170 17 50 40	60a			
PLACE: COMMENT:	172.16.52.49:	□ OUTPUT TO FILE (L)			
PRINTING RANGE O ALL (A)		PRINTING RANGE ————————————————————————————————————			
O PRESENT PAGE (F) O				
O SPECIFY PAGE (C	-	☐ PRINT IN THE UNIT OF NO. OF COPIES (T)			
	GE BY SEPARATION				
PAGE NUMBERS BY	THE COMMA SUCH				
AS OR SINKING SUCH AS	BY THE HYPHEN				
SUCH AS	 				
OBJECT OF PRINT (Y	V): DOCUMENT ▼	PRINT SPECIFIED (R): ALL PAGE ▼			
OPTION		OK CANCEL			
OT TIOT!		OR CARCLE			
)			
		60			
	PRINTER CONDITIO	ON SETTING			
	PRINTER CONDITION SETTING				
	PRINT SETTING				
	○ COLOR OMONO				
FIG. 6B	NO. OF COPIES 1-100 — 61				
110. OD	PAPER SIZE A4 V OVERTICAL OLATERAL 01				
•					
	RESOLUTION 600	Odpi			
		OK CANCEL			
		•			
FIG. 6C					
PRINTER STATUS INVESTIGATION OF PRINTER 62a					
A STATUS 62a					
DDINIMED COLUMN					
PRINTER STATUS PRINTER A BUSY START OF 62b PRINTER A IDLE, START OF					
PRINTER A BUSY S INVESTIGATION OF	PRINTER A IDLE, START OF 620 PRINTING				
B	: IVII / I L.K	T KINTING			
PRINTER STATUS PRINTER STATUS					
UNABLE TO PRINT		END OF PRINTING ~626			
PRINTER A AND PRINTER B					
ARE BUSY					

FIG. 7A

1	2	3	4	5
COLOR/ MONO	NO. OF COPIES	PAPER SIZE	ACTION OF BUSY (INCLUDING ERROR)	TYPE OF APPLICATION (FILE)

FIG. 7B

PRINTER A	1,[MONO]/2,[1-9]/3,[A4 OR LESS]/4,[TO PRINTER B]/5,[doc,txT,Xls]
PRINTER A	1,[MONO]/2,[10-9999]/3,[A3 OR LESS]/4,[TO PRINTER A]
PRINTER A	1,[COLOR]/5,[pm85]

FIG. 7C

CASE 1 PROPERTY SETTING 1,[MONO]/2,[12]/3,[A5]/4,[TO PRINTER A]	→SELECT PRINTER B →PRINTER B ERROR →PRINT BY PRINTER A
CASE 2 PROPERTY SETTING 1,[MONO]/2,[2]/3,[A4]/4,[TO PRINTER B]	→SELECT PRINTER A, →PRINTER A IDLING →PRINT BY PRINTER A
CASE 3 PROPERTY SETTING 1,[COLOR]	→PRINT BY PRINTER C
CASE 4 PROPERTY SETTING 5,[pm85]	→PRINT BY PRINTER C